



# 强力型粉碎机TGP系列

TGP Series Powerful Granulators

TGP

## 强力型粉碎机 TGP系列 TGP Series Powerful Granulators

TGP

特别适用于各类硬性塑胶之粉碎再利用，效果更佳。刀架优化设计，又分为片刀型，爪刀型和平刀型。爪型刀可分散受力度，使得每片刀的剪切加大，尤其适合厚件产品及大块胶头，硬质料块等，有效的提高了刀具切削力、减少刀具磨损。设有电控安全设计，多项安全保护装置，确保操作安全。

Powerful Sound – Proof Granulators are specially designed for crushing various rigid plastics to recycle with high-efficiency. Superior cutter design has 3 types – flake, flat and claw type. Claw cutter has the characteristics of scattering force even to make each blade giving strong shearing force to reduce cutter wear, especially are suitable for hard & thick products cutting. The granulators are specially designed with multiple electricity safety devices to ensure safety protection.




### ● 特点 Features

- 适合粉碎大块的各种材质形状的不良品，可集中粉碎回收。
- 马达附有过负荷保护装置，并有电源连锁保护系统，附有清洁刀具保护装置操作、清洗绝对安全；确保维护人员的安全。
- 刀具采用优质合金材质，经久耐用。
- 筛网孔径10HP及以下标准配置为8MM，15HP及以上标准配置为10MM，其他规格可接受订做。
- 设计独特，马力最小，效率却佳，并备有双层消音设备，噪音低。
- 粉碎透明料和白色料时，进料斗和筛网需订做不锈钢，以免在粉碎时油漆脱落，污染原料影响颜色。
- 易拆式设计：进料斗，碎料刀，过滤网均可拆卸，易清洗。

- All models are suitable for granulating big & different material & different shape of defect plastic parts, can be collected to granulate together for recycling use.
- The motor is equipped with overload protector & interlock power protection safety device & granulator is equipped with cleaning cutter protection safety device for ensuring operators' safety.
- Blades are made of excellent alloy material with long service life.
- The standard screen mesh size for 10HP & below is 8mm; for 15HP & above is 10mm. Other spec can be customized according to customers' requirements.
- Unique design realizes that the power is smallest but the efficiency is highest. It is also equipped with double-silencer to achieve low noise.
- Feeding hopper and screener need to be made of stainless steel in order to avoid painting peeling off to make material contamination for effecting color.
- Easy disassembly design – feeding hopper, cutters and screener easily dismantle for cleaning.

● 产品结构图 Product Structure Diagram



● 规格表 Specification Sheet

1.片刀 flake blade (-P)

产品型号 MODEL	TGP-2320P-5HP	TGP-3120P-7.5HP	TGP-4123P-10HP	TGP-5129P-15HP	TGP-6132P-20HP	TGP-8147P-30HP/40HP
马达功率 Motor CapacityHP/KW	5/4	7.5/5.5	10/7.5	15/11	20/15	30/22 40/30
刀腔尺寸 Blade size	220×200	300×200	410×220	500×290	600×320	815×470
最大粉碎能力 Mix Crushing Ability(kg/h)	100	150	200	300	350	450
外型尺寸 Dimensions (L×W×H) (m)	0.97×0.61×1.2	1.0×0.72×1.29	1.03×0.84×1.39	1.230×1.01×1.63	1320×1110×1830	1.73×1.49×2.3
重量 Weight (kg)	290	435	450	820	970	2100

2.爪刀 claw blade (-C)

产品型号 MODEL	TGP-3626C-10HP	TGP-4228C-15HP	TGP-4833C-20HP	TGP-6635C-30HP
马达功率 Motor CapacityHP/KW	10/7.5	15/11	20/15	30/22
刀腔尺寸 Blade size	360×260	420×280	480×330	660×350
最大粉碎能力 Mix Crushing Ability(kg/h)	200	300	350	450
外型尺寸 Dimensions (L×W×H) (m)	1.06×0.83×1.44	1.27×0.9×1.6	1.37×0.98×1.79	1.57×1.32×2.0
重量 Weight (kg)	500	795	1040	1700

3.平刀 flat blade (-F)

产品型号 MODEL	TGP-3626F-10HP	TGP-4228F-15HP	TGP-4833F-20HP	TGP-6635F-30HP
马达功率 Motor CapacityHP/KW	10/7.5	15/11	20/15	30/22
刀腔尺寸 Blade size	360×260	420×280	480×330	660×350
最大粉碎能力 Mix Crushing Ability(kg/h)	200	300	350	450
外型尺寸 Dimensions (L×W×H) (m)	1.06×0.83×1.44	1.27×0.9×1.6	1.37×0.98×1.79	1.57×1.32×2.0
重量 Weight (kg)	500	765	940	1640

注：产品规格若有变更，恕不另行通知 We reserve right to change specifications without prior notice

有关产品性质和适用范围的说明并不保证产品属性，仅作可供了解的信息。我们的供货范围及提供的服务完全以合同条款为准绳。技术数据和插图仅作为供货参考。保留更改权利。

Feature and scope of the product does not guarantee the product attributes, only for reference. Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract. Technical data and illustration are only for reference. We reserve the rights of changing.

TSD-2021-12

## 广东拓斯达科技股份有限公司

GUANGDONG TOPSTAR TECHNOLOGY CO.,LTD.

地址：广东省东莞市大岭山镇大塘朗创新路2号

ADD : No.2 Chuangxin Road, Datanglang, Dalingshan Town, Dongguan City, Guangdong Province.

电话/TEL: 0769-8305 0999 传真/FAX: 0769-8584 5562

全国统一客服热线 Domestic Service Hotline **400-096-8005**

